
Stabicad

BIM software for the MEP engineer








MEP content


www.mepcontent.com



From generic to specific

Change the model easily


In Stabicad, you can easily change your model from generic, via specific, to detailed and back again. This way, the information level of the model changes as the development phases progress. Elements are given a unique coding from the schematic diagram, so that it is clear which articles are present throughout the entire life cycle of the model.



Nodesolver

Complex node connection

During the modeling process, the nodesolver shows various possibilities for connecting pipes and ducts, including fittings. Where Revit stops, the nodesolver goes further. All solutions can actually be made and all article information in the model is accurate. In 2D or 3D, one or several nodes; this tool solves it.



More productive engineering

Save time with these powerful tools


Stabicad enables engineers to keep up with the latest BIM developments thanks to the reliable performance and proven productivity tools. This is in direct response to the shorter turnaround times and higher delivery requirements for installation projects that a recovering market demands.

All parties involved in a building project are aware that the market has picked up again. Big challenging projects and plenty of room for innovation have an influence on the installation, the design process and maintenance. Residential construction has gained new momentum and is becoming more sophisticated thanks to high-tech facilities. The Stabicad 11 functionality prepares MEP engineers for meeting the demands that are inherent to these developments.


Stabicad Autorouting

Fast specific modeling

With Stabicad Autorouting, specific and undefined systems such as ducts, pipes and cable ducts become dynamic. This means that when you modify the dimensions (such as diameter) of a system, the specific properties (article number, etc.) also change automatically. This enables you to draw and change quickly and easily, always with guaranteed up-to-date data from the cloud.




41



Panel schedule manager and scheme

Manage all high and low voltage installations


An overview of all panels, single and multi-phase groups, lighting and power groups and power distribution. The diagram will be automatically drawn and/or updated based on the installation overview. The symbols in the panel schedule have been standardized and the layout is flexible.



Sprinkler systems

Modeling and calculation in one


Model sprinkler installations easily from the alarm valve to the sprinkler head. From the multiple placement of sprinklers with any desired connection (including sprinkler tees, flexible pipes, standard fitting work, and telescopic pipes) to the calculation of drawn systems. Content of sprinkler manufacturers is fully integrated into the software.



Flexible pipes

As easy as drawing rigid systems

Flexibles will no longer slow down your projects. With Stabicad Flexible Pipes for water and central heating, the path of the system can be changed without affecting the other parts. Tees and reducers are automatically placed and the bend radius can be overridden to smoothen the path of the system. The total pipe length can be calculated and reported with a schedule.




MEPcontent

The largest BIM library for MEP engineers

To achieve technically accurate models and drawings, it is crucial to have up-to-date 3D content. Content that complies with the European MEPcontent Standard (EMCS), to ensure that a Revit project contains uniform and accurate information. MEPcontent offers you an online platform that meets this need. This applies to both electrical and mechanical engineering for use in Revit and AutoCAD, and, of course, is in line with the manufacturers' and suppliers' product lines. Your free MEPcontent account gives you direct access to more than 500,000 articles. Stabicad users who subscribe to MEPcontent, also benefit from unlimited access to all manufacturer-specific parametric data for complete product lines.

11




Read more success stories at stabiplan.com/bimlive


Optimum workflow thanks to prefab in BIM


Serial residential construction is the core business of Breman Zuid.

They have been using Stabicad for more than 20 years now for designing sewers, mechanical ventilation, gas and central heating. To achieve an optimum workflow, Stabicad for Revit is also used for prefab and calculation.

Alwin Vos is 3D BIM engineer/work planner at Breman Zuid: 'You really save time in BIM as soon as you extract the prefab drawings from your Revit model. This way, they are generated directly from the installation and it is no longer necessary for us to work with the Exchange function. As we frequently work with prototype houses and have a lot of basic prefab drawings/order lists from previous projects, the transition from AutoCAD to Revit is somewhat slower than we would like. The prefab functionality in Revit is, in any case, certainly a step forward. We order products directly from within the model. Installations and serial residential construction are relatively transparent in terms of calculations. Nevertheless, it is great to be able to show the client that the model is accurate. We use the Stabicad integrated air duct calculations for this purpose."








Calculate all piping systems

with the Stabicad calculation modules

Stabicad offers calculation functionality for Ventilation, Sprinkler, Heating & Cooling, Tap water, Gas and Sewerage. All pipe systems in a building can therefore be integrated, calculated and monitored in the BIM model. This is always based on local and/or European standards and norms. In addition to the integrated calculations, there are also links to BINK Software, VABI Elements and Dialux, to name but a few.



Dimensioning, controlling and reporting

in each phase of the project

The required diameters are determined during the concept phase based on calculation parameters such as the flow rate or the maximum permissible speed. Pressure losses are calculated with the controlling calculation. The results of the calculation are presented in a clearly arranged report. The detailed reports can be exported to various file formats.

Air calculation output intributed sension 1.00 inter. 1.00 inter. 1.00 interection review Calculatione Insued description Description Air 2017 Aut				Calculation type Notice Surprise type		invelope dust orioinéer 600 17 0018 basin					
Texas for an handlesq unit											
Sedion or.	Besorytion	s-Ai	(m/h)	ini	Discretion (mm)	Jan's	AF duction [Palm]	ii.	(h)	End present (Pa)	Control Primary 274
_	But SER 1980. Vendell respressiv	1002146	13340	-	181-361	147	- 67		34	0.1	-
serve 2	-	400,0000			880+260	240		4.2	0.0	11.1.	
	Out Sift 1000, he don't confer per	400,04040	0.00486	14.50	690 × 500	. 142		-	9.2	10.9	- 6
patros 5	Sect	1			696 v 560			0.8	9.7	96.7	
	Out SRUUKK recent conference	400,01810	0.00900	3.27	685×360	0.62	2 - 1		81.	96.7	. 0
Sefue 6	Bed			10000	190 - 100			1.8	187	90.5	
4	Out 608, LOUI, factors confirmed	400,04389	0.00000	147	985 × 165	160	- 1		0.1	86.6	. 6
telloc 1	Sacisfie	100,00077			109	180		1.5	1.6	3.9	1.6
	Our SRI, U.K. Permit rasplingte	100,0690	0.00654	6.40	129	3.26	0.0		9.3	6.6	- 0
- 1	Value Separation	100,0000	_		123	2.26	11	-		4.0	3.7
-	Dark Self, Links, Various Gagleriges	100-00062	2,00009	0.14	193	9.30	0.0		9.7	4.0	
4.0	Over SAS, LLKG, Revise	100,09/36	0.00136	-06	123	.226	0.6	0.8	13	3.1	- 6
-0	Secreptedition	100			195	126				3.1	
565 m 15	Sanda	100-04088			690 × 681	0.60				10.4	
78	Outried Locks, remove temperate	900-14089	0.0099	4.0	946 + 861	1.41				10.4	
before 11	Sacide	100,000	-		129	1.41		14.5	1.6	5.6	- 6
94.	Over Self-LUSS, Newson's complexing to	100,04011	0.00094	-647	103	2.79	14		9.3	4.7	. 6
4	varie liagelose	100-09762		-	149	2.20		- 1	- 6	4.0	2.6
13	Out Set LOSS, he shad page-per	100.06460	-0.00046	0.54	125	0.00	.66		9.7	4.6	
14.1	Over Self, EURO, Plantari	100-04/26	0.00136	. 0.0	109	2.24	- 84:	0.6	1.9	3.1	
		100			109	2.76		- 6	-	4.1	-
425	Section of the sec	100									
	ferregre short	100			800 - 100	141		-	-	10.0	

Integrated calculations


Calculate and draw in the same model to prevent errors and duplication

In times of increasingly strict demands and control on EPCs and sustainability, the complete calculation of buildings is a key resource for realizing healthy renovations and new building developments. Technical, physical and financial feasibility can always be checked further before the construction actually begins. Hence the importance of standardized pipe calculations. The strength of integrated calculations in BIM is the fast and reliable calculation of installations for dimensioning, monitoring and comparing alternatives. In one model, in one program. This is significantly time-saving and prevents errors. The detailed reports can be submitted to an inspection authority. This way, you can always show which calculations the design is based on.

Interactive calculation overview

Communication between calculation data and model

Thanks to the calculation overview, you will see the calculation results in your Revit model immediately. The dimensions can be changed in this overview, and you can calculate systems without the new values being saved directly in the model. This enables you to check the results easily and quickly calculate alternative systems by continuing to model with the preferred situation.



Find out all about the Stabicad calculation functionality at stabiplan.com/calculation

Ш



BIMme

The community for MEP engineers

BIMme is the platform where thousands of MEP engineers learn and share their experiences working with BIM, Stabicad, AutoCAD, Revit and MEPcontent. You can ask questions, vote and discuss new software features and meet other engineers. You will also find the Stabitips, short practical films, here. In short, BIMme is the number 1 website for any MEP engineer!

www.bimme.com

Training center

Learn when and where it suits you

We will be pleased to teach you all about using Stabicad and Autodesk products efficiently and effectively, and about BIM and the installation sector. You can follow one of our training courses; on site or in one of our own Autodesk Authorized Training Centers, always by qualified teachers with experience in installation technology. Stabicad is also used in secondary and higher level education to train future engineers in using our software.

stabiplan.com/training

Apps

Lightning fast MEP design

Next to our Stabicad software, we develop Revit apps for the installation industry. These apps are often free to download and usable next to Stabicad. Our apps are useful tools within Revit (an 'add-in') to perform repetitive MEP specific tasks faster. They are linked to quality manufacturer-specific content. Download the apps from our app store and increase your productivity with these quick, simple and robust apps for Revit!

store.mepcontent.com



They are BIM LIVE!

A selection from our 10,000 users

















































Ы

Stabicad

Basic functionality

General

- ✓ Extensive reporting possibilities, such as bills of materials, symbol lists and drawing lists
- ✓ Expanding the Palette Center with custom symbols and functions
- ✓ User management
- ✓ Adding custom 3D symbols
- ✓ Importing up-to-date product lines from MEPcontent.com
- ✓ Modeling in 3D
- ✓ Converting 1L/2D representations to 3D models
- ✓ Manage Sheets
- ✓ Clash detection of 3D Stabicad systems
- ✓ Drawing and generating rooms
- ✓ Context sensitive ribbon
- ✓ Stabicad Grips for quick drawing and editing, also in 3D
- ✓ Inserting 3D files using online content browser
- ✓ Project/drawing setup
- ✓ Data exchange with IFC, Excel and SXF files

Building layout

- ✓ Drawing and hatching walls
- ✓ Inserting building symbols

Space Management

- ✓ Configuration of extensive room properties
- ✓ Generating layout plan and legend
- ✓ FMIS exchange file
- ✓ Extensive room reporting
- ✓ Working with custom room label

StabiBASE

- ✓ Central project management
- ✓ Flexible project settings
- ✓ Adjustable project structure
- ✓ Importing tree structure
- ✓ Profiles and project folders
- ✓ Advanced search functions
- ✓ Registration of modification data
- ✓ Exchanging projects and drawings
- ✓ Exporting drawing information for bills of materials
- ✓ Process automation using scripts
- ✓ Advanced title block management
- ✓ Filter options
- ✓ Revit worksharing support
- ✓ Setting calculation preferences

BIM software for the MEP engineer

Mechanical



Heating & Cooling, Sanitary & Sewerage, Ventilation, Plant Rooms

- ✓ Drawing pipes and ducts
- ✓ Specific drawing with Stabicad Autorouting
- ✓ Advanced nodesolver
- ✓ Automatic annotation
- ✓ Drawing and generating installations in 3D
- ✓ Generating projections, sections, and helper spaces
- ✓ Management of custom dimensions of pipes and elements
- ✓ Creating custom heating and cooling pipe types
- ✓ Bendable and flexible pipes
- ✓ Placing floor heating
- Inserting sanitary symbols, such as toilets and baths
- ✓ Placing ventilation equipment, such as grilles and valves
- ✓ Inserting elements for plant rooms, such as boilers, air handling units and distributors
- Inserting, managing and connecting radiators automatically
- ✓ Check function

Prefab

- ✓ Creating prefab sets
- ✓ Coding
- ✓ Generating sheets
- ✓ Extensive reports such as cut lists and bills of materials
- ✓ Prefab set based on model lines
- ✓ Bendable and flexible pipes

Mechanical Diagram

- ✓ Generating sheets with sheet explorer
- ✓ Inserting symbols, such as valves
- ✓ Coding
- ✓ Element code monitor

Recesses

- ✓ Creating and editing symbolic recesses
- ✓ Generating recesses from selection
- ✓ Generating recesses based on interference check
- ✓ Combining recesses
- ✓ Generating and importing recesses requests
- ✓ Recesses monitor

Sprinkler

Design & calculation

- ✓ Drawing and calculating sprinkler pipes
- ✓ Placing sprinkler connection sets
- ✓ Modifying placed sprinkler connection sets
- ✓ Inserting elements, such as sprinkler heads and valves
- ✓ Control calculation
- ✓ Check function
- ✓ Reporting of calculation results

- ✓ Flexible pipes
- ✓ Telescopic pipes
- ✓ Sloped pipes

Calculation norms

- ✓ EN 12845 (2002)
- ✓ NFPA 13 (2013)
- ✓ VdS CEA 2001 (2014)

11

Stabicad

Electrical



General

- ✓ Drawing low and high-voltage current installations
- ✓ Allocating symbols to circuits
- ✓ Placing recessed and surface-mounted elements
- ✓ Creating composites
- ✓ Generating installation diagrams
- ✓ Generating security and fire protection diagrams
- ✓ Drawing cable ducts and wall trays
- ✓ Specific drawing with Stabicad Autorouting
- ✓ Advanced nodesolver
- ✓ Automatic annotation of cable ducts
- ✓ Drawing and generating installations in 3D
- Generating projections, sections, and helper spaces of cable ducts
- ✓ Managing custom dimensions of cable ducts
- ✓ Coding symbols
- ✓ Generating block schedules
- ✓ Generating circuit explanation
- ✓ Installation Monitor
- ✓ Modifying properties of symbols
- ✓ Copying elements while maintaining circuit data

- ✓ Designing bus system installations
- Designing pluggable installations
- ✓ DIALux connection
- ✓ Recesses

Safety


- ✓ Drawing escape routes
- ✓ Inserting symbols
- ✓ Generating overviews and reports

Stabicad bundle

Stabicad for Revit + Stabicad for AutoCAD

The Stabicad bundle is a complete package containing both Stabicad for Revit and Stabicad for AutoCAD, including all functionality for the different disciplines. Three types of bundles are available:







Stabicad Mechanical bundle



Stabicad Electrical & Mechanical bundle

BIM software for the MEP engineer

Apps

store.mepcontent.com

Our apps are useful tools within Revit (an 'add-in') for placing product lines, configuring switch ranges or performing other MEP specific tasks. The tools are connected to manufacturer specific content to perform repetitive tasks faster.

MEPcontent Browser

✓ Placing manufacturer specific content directly in the project without leaving Revit or AutoCAD.

Stabicad Export & Import Excel

✓ Exporting an entire model, view or selection to Excel, modifying it and importing it from Excel.

MEPcontent ABB Switch Range Configurator

✓ Configuring, placing and managing ABB Busch-Jaeger switch ranges including relevant data.

Calculation

Sewerage, Ventilation, Tap Water, Gas, Sprinkler

- ✓ Inserting consumers
- ✓ Drawing and calculating pipes
- ✓ Dimensioning and verification calculation
- ✓ Interactive calculation overview
- ✓ Reporting calculation results
- ✓ Calculating alternatives
- ✓ Calculating sewerage flow
- ✓ Visualizing sewerage pipe types
- Calculating velocity, pressure loss, sound, system pressure, control pressure, and air leakage in a ventilation system
- ✓ Automatic annotation of tap water system

Calculation norms

Sewerage EN 12056 (2000), DTU 60.11 (2013), DIN EN 12056 (2000) / DIN 1986-100 (2016), NTR 3216 (2003)

Ventilation ISSO 17 (2010), ISSO 24 (1990)

Tap Water NEN 1006 (2011) / ISSO 55 (2013), NBN 806 (2000), DIN 1988-300 (2012)
Gas NEN 1078 (1999) / NEN 2078 (2001) Formula method, NBN D 51-003 (2004)

Sprinkler EN 12845 (2002), NFPA 13 (2013), VdS CEA 2001 (2014)



Interested?

Please do not hesitate to contact us.



+ 40 268 31 11 40













© 2018 Stabiplan SRL - Romania

All rights reserved. No part of this publication may be reproduced or published by means of print, photocopy, CD Rom, Internet pages or in any other form whatsoever, without prior permission from Stabiplan BV. Stabiplan's products are under continuous development. No rights may be derived from this publication.

Stabicad is a registered trade mark of Stabiplan BV. All other brand and product names are (registered) trade marks of their respective holders.

THE NETHERLANDS **BELGIUM FRANCE**

> **GERMANY ROMANIA**

